Notice of Allowability	Application No.	Applicant(s)
	10/722,930	RAHA, PRASUN K.
	Examiner	Art Unit
	An T. Luu	2816
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11-25-03</u> .		
2. 🔀 The allowed claim(s) is/are <u>1-20</u> .		
3. 🔀 The drawings filed on <u>25 November 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 98), 7. ⊠ Examiner's Amendr	
Paper No./Mail Date 11-25-03 & 4/1/05 Au 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9. Other	
	SUPER	MOTHY P. CALLAHAN VISORY PATENT EXAMINER
II S Patent and Trademark Office		

Application/Control Number: 10/722,930 Page 2

Art Unit: 2816

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- In claim 1, line 17, the limitation "an oscillating signal" is changed to --the oscillating signal--.
- In claim 8, line 20, the limitation "an oscillating signal" is changed to --the oscillating signal--.
- In claim 15, line 25, the limitation "an oscillating signal" is changed to --the oscillating signal--.
- In claim 19, line 18, the limitation "an oscillating signal" is changed to --the oscillating signal--.
- In claim 20, line 32, the limitation "an oscillating signal" is changed to --the oscillating signal--.
- 2. The following is an examiner's statement of reasons for allowance: the prior art of record fails to disclose an apparatus and method thereof comprising elements being configured as recited in claims. Specifically, none of the prior art teaches or fairly suggests, among other things, the limitation "switching a first load and a second load according a control current to yield a first and second differential signals, respectively, and to generate an oscillating signal

according to the first differential signal and the second differential signal wherein the oscillating signal having a frequency substantially proportional to the oscillating frequency" as required by all independent claims of the instant application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to An T. Luu whose telephone number is 571-272-1746. The examiner can normally be reached on 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy P. Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).